
Dart Aerospace Ltd. Wednesday, 1/31/2007 2:18:45 PM Date: User Kim Johnston **Process Sheet** : STRUT : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 30550 : 10277 **Estimate Number** : D2565105 Part Number P.O. Number : N /A : 1/31/2007 D2565 REV E S.O. No. : NIA **Drawing Number** This Issue : N/A Project Number Prsht Rev. : NA : SMALL /MED FAB : E Type **Drawing Revision** First Issue : HIM : 27406 Material **Previous Run** : 2/12/2007 20 Um: **Due Date** Written By Checked & Approved By Added dwg Rev.C1 NG : Est: F02**(**04.16 Comment **Additional Product** Job Number: Description: Seq. #: 304 RD Tube .750 x .049W M304TR0750W049 1.0 Comment: Qty.: 35 f(s) 2 f(s)/Unit Total: 304 RD TUBE .750 X.49W Punch 304/316/318-2B Seamless Tubing, 3/4" O.D. x 0.049" wall to length as per Dwg D2565 usingDT Batch M 102 175 (M304TR0750W049) BRAKE NC NC BRAKE 2.0 Comment: NC BRAKE Punch as per Dwg D2565 usingDT 8313 SMALL & MEDIUM FAB RESOURCE 1 3.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 Drill hole open to .316 Ø as per Dwg D2565 (one end only) Deburr INSPECT WORK TO CURRENT STEF 4.0 QC5



Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3


POWDER COATING

Comment: POWDER COATING

POWDER COATING

m/03716





Page 1

5.0

Each

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE STEP		PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		***	,				:			
	-	i v								
Part No:	•		PAR #:	Fault Category:		: Yes	No DQA			21/04/05

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
	STEP	Description of NC		Corrective Action Section B	Verification						
DATE		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			

							ļ				
		, in the second		, ,							
		3.	-								
	200										

NOTE: Date & initial all entries

Wednesday, 1/31/2007 2:18:45 PM Date: User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: STRUT Job Number: 30550 Part Number: D2565105 Job Number: Seq. #: Description: Machine Or Operation: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT 7.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE 12 St. Ol.06 Job Completion

Dart Aerospace Ltd

W /O:			WORK ORDER CHANGES								
DATE	STEP	PRO	OCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto	
			•					:			
					*		<u> </u>				
				*			,				
Part No		PAR #·	Fault Category		. 4	CD. Vaa	No DO	A .	Data		

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
			QA: N/C Closed:	Date:


NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
	STEP	Description of NC	Corrective Action Section B			Verification	Annaval				
DATE		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	. Section C	Approval Chief Eng	Approval QC Inspector			
					'						
			Ξ , ,			,					
		·									
				1 4							
							4				
		· · · · · · · · · · · · · · · · · · ·									
							>1.				
		¥									


NOTE: Date & initial all entries





DESIG	-#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHEC	KED M	APPROVED	DRAWING NO. RE	V. E
	#	111	D2565 SHEET 1 C)F 1
DATE			TITLE	ALE
04.0	5.05		STRUT	1:3
Α		96.05.03	NEW ISSUE	
В		97.03.15	CORRECT D2565-111 DIM. A	
O		98.10.05	UPDATED MATERIAL NOTE (TSR A603)	
D		02.06.05	ADD -3XX PARTS; ADD FINISH	
F		04.05.05	ADD D2565-401-411: RMV ANGLE D	





PART #	Α	В	DIA C
D2565-101	20.52		0.316
D2565-103	18.21	17.41	0.316
:D2565=105:			
D2565-107	13.43	12.63	_
D2565-109	12.31	11.51	-
D2565-111		12.85	****
D2565-201	22.79	22.00	0.316
D2565-203	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	n-m
D2565-209		14.36	
D2565-211	14.14	13.34	
11.			
	27.03		0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307		20.06	
D2565-309		19.37	-
D2565-311	16.30	15.50	_
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79		
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL

(REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

UNCONTROLLED

UNCONTROLLED

UNCONTROLLED

UNCONTROLLED

UNCONTROLLED

UNCONTROLLED

VORKORDEN

4) ALL DIMENSIONS ARE IN INCHES

SHOP COPY RETURN TO

ENGINEERING UNCONTROLLED COPY

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

• , ι, * 2 ٠. ÷ Ą , The state of the s